



MATERIAL SAFETY DATA SHEET

MSDS No: 30831001

PRODUCT NAME **HYDROGEN BROMIDE**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name COREGAS PTY LTD
Address 66 Loftus Rd, Yennora, NSW, AUSTRALIA, 2161
Telephone (02) 9794 2222
Fax (02) 9794 2221
Emergency 1300 657 070
Email info@coregas.com
Web Site <http://www.coregas.com/>
Synonym(s) 30831001 - MSDS NUMBER
Use(s) INDUSTRIAL APPLICATIONS
MSDS Date 30 May 2008

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

RISK PHRASES

R35 Causes severe burns.
R37 Irritating to respiratory system.

SAFETY PHRASES

S1/2 Keep locked up and out of reach of children.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).
S7/9 Keep container tightly closed and in a well ventilated place.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 1048 **DG Class** 2.3 **Subsidiary Risk(s)** 8
Pkg Group None Allocated **Hazchem Code** 2RE **EPG** 2B8

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
HYDROGEN BROMIDE	Br-H	10035-10-6	100%

PRODUCT NAME HYDROGEN BROMIDE

4. FIRST AID MEASURES

Eye	Treatment for cold burns: Immediately flush with tepid water or with sterile saline solution. Hold eyelids apart and irrigate for 15 minutes. Seek medical attention.
Inhalation	If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator or Self Contained Breathing Apparatus (SCBA). Apply artificial respiration if not breathing. Give oxygen if available.
Skin	Cold burns: Remove contaminated clothing and gently flush affected areas with warm water (30°C) for 15 minutes. Apply sterile dressing and treat as for a thermal burn. For large burns, immerse in warm water for 15 minutes. DO NOT apply any form of direct heat. Seek immediate medical attention.
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and application, ingestion is considered unlikely.
Advice to Doctor	Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability	Non flammable. Cylinders may explode if heated.
Fire and Explosion	Non flammable. Evacuate area and contact emergency services. Cylinders may explode if heated. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Non flammable. Use water fog to cool containers from protected area.
Hazchem Code	2RE

6. ACCIDENTAL RELEASE MEASURES

Spillage	If the cylinder is leaking, eliminate all potential ignition sources and evacuate area of personnel. Inform manufacturer/supplier of leak. Wear appropriate PPE and carefully move it to a well ventilated remote area, then allow to discharge. Do not attempt to repair leaking valve or cylinder safety devices.
-----------------	---

7. STORAGE AND HANDLING

Storage	Do not store near sources of ignition or incompatible materials. Cylinders should be stored below 45°C in a secure area, upright and restrained to prevent cylinders from falling. Cylinders should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.


8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Hydrogen bromide	NOHSC (AUS)	3.0	9.9	--	--

Biological Limits No biological limit allocated.

Engineering Controls Do not inhale gas. Use in well ventilated areas only. In confined, poorly ventilated areas, mechanical explosion proof extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE Wear leather gloves, coveralls and an Air-line respirator or self Contained Breathing Apparatus (SCBA).



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	COLOURLESS GAS	Solubility (water)	SOLUBLE
Odour	PUNGENT ODOUR	Specific Gravity	NOT AVAILABLE

PRODUCT NAME HYDROGEN BROMIDE

pH	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	-66.7°C	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE	Autoignition Temperature	NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidising agents (eg. fluorine), alkalis (eg. sodium hydroxide) and active metals (evolving flammable/ potentially explosive hydrogen gas).

Decomposition May evolve toxic gases if heated to decomposition.

Hazardous Reactions This product will react with water to produce hydrobromic acid.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary Highly corrosive - toxic. Causes irritation of upper respiratory tract at 35 vppm after short exposure. More severe exposures result in pulmonary oedema and often laryngeal spasm. Concentrations of 1,300 to 2,000 vppm can be rapidly fatal.

Eye Highly corrosive - severe irritant. Gas and liquid are extremely irritating and corrosive. Mild concentrations of vapour will cause irritation, higher concentrations may cause burns, inflammation and swelling of the eyes with possible loss of vision. Persons with potential exposure should not wear contact lenses.

Inhalation Highly corrosive - severe irritant.

Skin Corrosive - severe irritant. Low temperature evaporating liquid can cause cold burns.

Ingestion Ingestion is considered unlikely due to product form. However, ingestion of liquid may result in burns to the mouth and throat.

Toxicity Data HYDROGEN BROMIDE (10035-10-6)
LC50 (Inhalation): 814 ppm/1 hour (mouse)

12. ECOLOGICAL INFORMATION

Environment SOIL: If released to soil, this product will dissolve the carbonate based soil materials due to its acidic nature. WATER: A significant amount will reach the water table where dilution and dispersion help to reduce the acid concentration. Aquatic life may be threatened if the pH falls below 5.

Ecotoxicity Toxic to aquatic organisms.

Persistence / Degradability This product is not readily biodegradable.

Mobility Miscible in water, and likely to be transported considerable distances in soil.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Cylinders should be returned to the manufacturer or supplier for disposal of contents.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

Transport Ensure cylinder is separated from driver and that outlet of relief device is not obstructed.



PRODUCT NAME HYDROGEN BROMIDE

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	HYDROGEN BROMIDE, ANHYDROUS				
UN No.	1048	DG Class	2.3	Subsidiary Risk(s)	8
Pkg Group	None Allocated	Hazchem Code	2RE	EPG	2B8

IATA

Shipping Name	HYDROGEN BROMIDE, ANHYDROUS				
UN No.	1048	DG Class	2.3	Subsidiary Risk(s)	8
Pkg Group	None Allocated				

IMDG

Shipping Name	HYDROGEN BROMIDE, ANHYDROUS				
UN No.	1048	DG Class	2.3	Subsidiary Risk(s)	8
Pkg Group	None Allocated				

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information APPLICATION METHOD: Gas withdrawal: regulator of suitable pressure and flow rating fitted to cylinder or manifold with low pressure gas distribution to equipment.

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m³ - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

PRODUCT NAME HYDROGEN BROMIDE

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared By

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au

MSDS Date: 30 May 2008

End of Report