


STEELMESH AVENUE FENCING



Specifications


Standards:	AS 2423-2002 Section 8	Gate Frame:	25 x 25 x 1.2mm RHS
Panel Formation:	Roll Top and Bottom	Intermediate Posts:	50 x 50 x 1.6mm RHS
Wire Diameter:	Ø5mm Horizontal Wire - Ø5mm Vertical	Single Gate Posts:	50 x 50 x 1.6mm RHS
Wire Spacing:	75mm Vertical	Double Gate Posts:	50 x 50 x 1.6mm RHS

Steelmesh Avenue Fencing

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS			
SAP 090 240 GH	HEIGHT 900mm - WIDTH 2400mm - HEAVY GALVANISED	10Kg	YES
SAP 120 240 GH	HEIGHT 1200mm - WIDTH 2400mm - HEAVY GALVANISED	12Kg	YES
GATES			
SASG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	7Kg	YES
SASG 090 150 GH	SINGLE GATE - H900 x W1480mm - HOT DIP GALVANISED	10Kg	YES
SASG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	9Kg	YES
SASG 120 150 GH	SINGLE GATE - H1200 x W1480mm - HOT DIP GALVANISED	12Kg	YES
• Double gate comprises of 2 single gate leaves			
POSTS			
PST 5050 150 GS	POST - 50 x 50 x 1500mm - SUIT 900mm PANEL - GALVANISED	4Kg	YES
PST 5050 190 GS	POST - 50 x 50 x 1900mm - SUIT 1200mm PANEL - GALVANISED	5Kg	YES
PSTF 5050 900 GS	FLANGEPOST 50 x 50 x 1000mm - SUIT 900mm PANEL - GAL.	4Kg	YES
PSTF 5050 120 GS	FLANGEPOST 50 x 50 x 1300mm - SUIT 1200mm PANEL - GAL.	5Kg	YES
FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY			
SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GAL.		YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GAL.		YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GAL.		YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 1 CAP		YES
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 2 CAPS		YES

• Non standard gate POA.

STEELMESH GARDEN FENCING



Specifications


Standards:	AS 2423-2002 Section 8	Gate Frame:	25 x 25 x 1.2mm RHS
Panel Formation:	Roll Top and Bottom	Intermediate Posts:	50 x 50 x 1.6mm RHS
Wire Diameter:	Ø5mm Horizontal Wire - Ø5mm Vertical	Single Gate Posts:	50 x 50 x 1.6mm RHS
Wire Spacing:	150mm Horizontal x 50mm Vertical	Double Gate Posts:	50 x 50 x 1.6mm RHS

Steelmesh Garden Fencing

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS			
SGP 090 240 GH	HEIGHT 900mm - WIDTH 2400mm - HOT DIPPED GALVANISED	13.6Kg	YES
SGP 120 240 GH	HEIGHT 1200mm - WIDTH 2400mm - HOT DIPPED GALVANISED	16.6Kg	YES
SGP 150 240 GH	HEIGHT 1500mm - WIDTH 2400mm - HOT DIPPED GALVANISED	19.5Kg	YES
SGP 180 240 GH	HEIGHT 1800mm - WIDTH 2400mm - HOT DIPPED GALVANISED	22.5Kg	YES
GATES			
SGSG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	8Kg	YES
SGSG 090 150 GH	SINGLE GATE - H900 x W1460mm - HOT DIP GALVANISED	12Kg	YES
SGSG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	11Kg	YES
SGSG 120 150 GH	SINGLE GATE - H1200 x W1460mm - HOT DIP GALVANISED	15Kg	YES
SGSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	13Kg	YES
SGSG 150 150 GH	SINGLE GATE - H1500 x W1460mm - HOT DIP GALVANISED	17Kg	YES
SGSG 180 100 GH	SINGLE GATE - H1800 x W960mm - HOT DIP GALVANISED	15Kg	YES
SGSG 180 150 GH	SINGLE GATE - H1800 x W1460mm - HOT DIPPED GALVANISED	18Kg	YES
• Double gate comprises of 2 single gate leaves			
POSTS			
PST 5050 150 GS	POST - 50 x 50 x 1500mm - GALVANISED	4Kg	YES
PST 5050 180 GS	POST - 50 x 50 x 1800mm - GALVANISED	5Kg	YES
PST 5050 210 GS	POST - 50 x 50 x 2100mm - GALVANISED	6Kg	YES
PST 5050 240 GS	POST - 50 x 50 x 2400mm - GALVANISED	7Kg	YES
PSTF 5050 900 GS	FLANGEPOST 50 x 50 x 1000mm - SUIT 900mm PANEL - GAL.	4Kg	YES
PSTF 5050 120 GS	FLANGEPOST 50 x 50 x 1300mm - SUIT 1200mm PANEL - GAL.	5Kg	YES
PSTF 5050 150 GS	FLANGEPOST 50 x 50 x 1600mm - SUIT 1500mm PANEL - GAL.	6Kg	YES
PSTF 5050 180 GS	FLANGEPOST 50 x 50 x 1900mm - SUIT 1800mm PANEL - GAL.	7Kg	YES
FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY			
SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED		YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED		YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED		YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 1 CAP		YES
S STD DG PK G	DOUBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 2 CAPS		YES

• Non standard gate POA.

STEELMESH BOULEVARD FENCING



Specifications

Standards:	AS 2423-2002 Section 8	Gate Frame:	25NB GLPE
Panel Formation:	Roll Top and Bottom	Intermediate Posts:	40NB GXPE
Wire Diameter:	Ø5mm Horizontal Wire - Ø5mm Vertical	Single Gate Posts:	50NB GXPE
Wire Spacing:	75mm Horizontal x 50mm Vertical	Double Gate Posts:	50NB GXPE (1200 POST)
		Double Gate Posts:	80NB GXPE (1500 POST)

Steelmesh Boulevard Fencing

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS			
SBP 090 240 GH	HEIGHT 900mm - WIDTH 2400mm - HOT DIPPED GALVANISED	16.8Kg	YES
SBP 120 240 GH	HEIGHT 1200mm - WIDTH 2400mm - HOT DIPPED GALVANISED	20.5Kg	YES
SBP 180 240 GH	HEIGHT 1800mm - WIDTH 2400mm - HOT DIPPED GALVANISED	26.2Kg	YES

GATES - EL = EACH LEAF

SBDG 090 300 GH	DOUBLE GATE - 2 OF H900 x W1475mm GATE LEAVES - HDG	18Kg/EL	YES
SBDG 120 300 GH	DOUBLE GATE - 2 OF H1200 x W1475mm GATE LEAVES - HDG	21.2Kg/EL	YES
SBDG 180 300 GH	DOUBLE GATE - 2 OF H1800 x W1475mm GATE LEAVES - HDG	26.6Kg/EL	YES
SBSG 090 100 GH	SINGLE GATE - H900 x W975mm - HOT DIP GALVANISED	13Kg	YES
SBSG 120 100 GH	SINGLE GATE - H1200 x W975mm - HOT DIP GALVANISED	15.4Kg	YES
SBSG 180 100 GH	SINGLE GATE - H800 x W975mm - HOT DIP GALVANISED	19.6Kg	YES

POST ASSEMBLIES - PRE DRILLED PANEL ATTACHMENT HOLES + GALVANISED CAP

PSTBP401500	POST - 40NB x 1500mm - SUIT 900mm PANEL - GALVANISED	6Kg	YES
PSTBP501800	POST - 50NB x 1800mm - SUIT 1200mm PANEL - GALVANISED	7.6Kg	YES
PSTBP401800	POST - 40NB x 1800mm - SUIT 1200mm PANEL - GALVANISED	6Kg	YES
PSTBP501980	POST - 50NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	8.4Kg	YES
PSTBP801980	POST - 80NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	13.8Kg	YES
PSTBP402400	POST - 40NB x 2400mm - SUIT 1800mm PANEL - GALVANISED	8Kg	YES
PSTBP502600	POST - 50NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	11Kg	YES
PSTBP802600	POST - 80NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	17.6Kg	YES


FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GAL.	-	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GAL.	-	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GAL.	-	YES
DH4025	2 PART HINGE - POST 40NB / GATE 25NB - GALVANISED	-	YES
DH5025D	2 PART INTERLOCKING HINGE - POST 50NB / GATE 25NB - GAL.	-	YES
DH8025D	2 PART INTERLOCKING HINGE - POST 80NB / GATE 25NB - GAL.	-	YES
DCAC29	'D' LATCH - GALVANISED	-	YES
DBTS28R	'D' LATCH STRIKER - GALVANISED	-	YES
DCAC22	DOUBLE GATE BOW - GALVANISED	-	YES
DB15LG	DROP BOLT - GALVANISED	-	YES

• Non standard gate POA.

www.profence.com.au

BOULEVARD SECURITY FENCING



Specifications

Standards:	AS 2423-2002 Section 8 DET Specification - Contract 0601006	Panel Mesh:	50mm x 75mm x Ø5mm
Panel Formation:	2 x 'V' Crimps + 35mm Spike Tails 50 x 150 Bottom Roll	Gate Frame:	32NB x 3.2mm Galvanised
		Intermediate Posts:	50NB x 3.6mm Galvanised
		Gate Posts:	100NB x 4.5mm Galvanised

Boulevard Security Fencing

CODE	DESCRIPTION	WEIGHT
MESH PANELS		
BSP 210 240 GH	HEIGHT 2100mm - WIDTH 2400mm - HOT DIP GALVANISED	31.5Kg
BSP 240 240 GH	HEIGHT 2400mm - WIDTH 2400mm - HOT DIP GALVANISED	35.2Kg
BSP 210 240 GS	HEIGHT 2100mm - WIDTH 2400mm - STANDARD GALVANISED	29.7Kg
BSP 240 240 GS	HEIGHT 2400mm - WIDTH 2400mm - STANDARD GALVANISED	33.5Kg
BSP 210 240 ZL	HEIGHT 2100mm - WIDTH 2400mm - ZALCOTE	29.7Kg
BSP 240 240 ZL	HEIGHT 2400mm - WIDTH 2400mm - ZALCOTE	33.5Kg
GATES - INCLUDES BROADHURST DOUBLE LOCK BOX KIT + BROADHURST DROP BOLT + HINGE COLLAR		
BSG 210 240 GH	SINGLE GATE - H2100 x W2400mm - HOT DIP GALVANISED	75.4Kg
BSG 240 240 GH	SINGLE GATE - H2400 x W2400mm - HOT DIP GALVANISED	78.9Kg
BSG 210 480 GH	DOUBLE GATE - 2 OF H2100 x W2400mm GATE LEAVES - HDG	148.3Kg
BSG 240 480 GH	DOUBLE GATE - 2 OF H2400 x W2400mm GATE LEAVES - HDG	155.4Kg
POST ASSEMBLIES - INCLUDES 8 x Ø10mm PANEL ATTACHMENT HOLES + GALVANISED CAP		
BSPS5030	INTERMEDIATE - 50NB x 3000mm - 2100mm PANEL - MEDIUM GAL	15.6Kg
BSPS5032	INTERMEDIATE - 50NB x 3250mm - 2400mm PANEL - MEDIUM GAL	16.8Kg
BSPS5036	INTERMEDIATE - 50NB x 3600mm - 2400mm PANEL - MEDIUM GAL	18.7Kg
BSPS10030	GATE POST - 100NB x 3000mm - 2100mm PANEL - MEDIUM GAL	37.2Kg
BSPS10036	GATE POST - 100NB x 3600mm - 2400mm PANEL - MEDIUM GAL	44.7Kg
FITTINGS - NOT INCLUDED IN PANEL/POST/GATE PRICES - PLEASE ORDER SEPARATELY		
DUC8/10G	'U' CLIP - GALVANISED	-
DH08090G	M8 x 90mm HEXAGONAL BOLT & NUT - SUIT 50NB POST - GALVANISED	-
DH08150G	M8 x 150mm HEXAGONAL BOLT & NUT - SUIT 100NB POST - GALVANISED	-
SH10032	100NB x 32NB TWO PART HINGE & ATTACHMENT - GALVANISED	-

CONFORMS TO DEPARTMENT OF COMMERCE SCHOOL SECURITY FENCING SPECIFICATION TYPE 3 - CONTRACT NO. 0601006

STEELMESH POOL FENCING



Specifications

Standards:	AS 1926.1-1993	Gate Frame:	25 x 25 x 1.2mm RHS
	AS 2423-2002 Section 8	Intermediate Posts:	50 x 50 x 1.6mm RHS
Panel Formation:	Roll Top and Bottom	Single Gate Posts:	50 x 50 x 1.6mm RHS
Wire Diameter:	Ø5mm Horizontal Wire - Ø8mm Vertical		
Wire Spacing:	1000mm Horizontal x 75mm Vertical		

Steelmesh Pool Fencing

CODE	DESCRIPTION	WEIGHT	STOCK
PANEL			
SPP 120 240 GH	HEIGHT 1250mm - WIDTH 2400mm - HOT DIP GALVANISED	24.7Kg	YES
SPP 130 240 GH	HEIGHT 1330mm - WIDTH 2400mm - HOT DIP GALVANISED	25.4Kg	YES
SPP 150 240 GH	HEIGHT 1500mm - WIDTH 2400mm - HOT DIP GALVANISED	28Kg	YES
GATES			
SPSG 125 100 GH	SINGLE GATE - H1250 x W960mm - HOT DIP GALVANISED	11Kg	NO
SPSG 130 100 GH	SINGLE GATE - H1320 x W960mm - HOT DIP GALVANISED	13Kg	YES
SPSG 130 130 GH	SINGLE GATE - H1320 x W1260mm - HOT DIP GALVANISED	16Kg	NO
SPSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	15Kg	YES
POSTS			
PST 5050 140 GS	POST - 50 x 50 x 1900mm - GALVANISED	5Kg	YES
PSTF 5050 900 GS	FLANGEPOST 50 x 50 x 1430mm - SUIT 1330mm PANEL - GAL.	5Kg	YES
FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY			
SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED		YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED		YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED		YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES -
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 1 CAP		YES
DMLTPS2BGA	MAGNA LATCH - SERIES 2		YES -

- Non standard gate POA.

STEELMESH ESPLANADE FENCING



Specifications

Standards:	AS 2423-2002 Section 8	Commercial Rails:	30 x 30 x 1.6mm RHS
Panel Formation:	RHS Welded Rail - Top/Bottom	Residential Rails:	25 x 25 x 1.6mm RHS
Wire Diameter:	Ø5mm Horizontal Wire - Ø8mm Vertical	Intermediate Posts:	50 x 50 x 1.6mm RHS
Wire Spacing:	1050mm Horizontal x 75mm Vertical	Single Gate Posts:	50 x 50 x 1.6mm RHS

Steelmesh Esplanade Fencing

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS - HEAVY DUTY COMMERCIAL - 30 x 30 x 1.6mm RAILS			
SEP 130 240 GH	HEIGHT 1270mm - WIDTH 2400mm - HOT DIP GALVANISED	23.7Kg	NO
GATES - HEAVY DUTY COMMERCIAL - 30 x 30 x 1.6mm RAILS			
SESG 130 090 GH	SINGLE GATE - H1270 x W875mm - HOT DIP GALVANISED	11Kg	YES
SESG 130 130 GH	SINGLE GATE - H1270 x W1325mm - HOT DIP GALVANISED	14Kg	NO
PANELS - RESIDENTIAL APPLICATIONS - 25 x 25 x 1.6mm RAILS			
SEP1224GR	HEIGHT 1200mm - WIDTH 2400mm - HOT DIP GALVANISED	22Kg	YES
SEP1230R	HEIGHT 1200mm - WIDTH 3000mm - HOT DIP GALVANISED	27.5Kg	NO
GATES - RESIDENTIAL APPLICATIONS - 25 x 25 x 1.6mm RAILS			
SESG 120 100 R	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	11Kg	YES
POSTS			
PST 5050 190 GS	POST - 50 x 50 x 1900mm - SUIT 1270mm PANEL - NO CAP - GAL	5Kg	YES
PSTF 5050 137 GS	FLANGE POST - 50 x 50 x 1370mm - GALVANISED	5Kg	YES
FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY			
SEBP4G	RAIL BRACKET 4 PACK (4 BRACKETS + 8 TEK SCREWS) - GAL		YES
SEBP12G	RAIL BRACKET 12 PACK (12 BRACKETS + 24 TEK SCREWS) - GAL		YES
SEBP20G	RAIL BRACKET 20 PACK (20 BRACKETS + 40 TEK SCREWS) - GAL		YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC		YES -
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 1 CAP		YES
DMLTPS2BGA	MAGNA LATCH - SERIES 2		YES -

• Non standard gate POA.